

[Home \(https://smegroup.id/\)](https://smegroup.id/)   [Blog \(https://smegroup.id/blog/\)](https://smegroup.id/blog/)

[About us \(https://smegroup.id/about-us/\)](https://smegroup.id/about-us/)



[Instagram \(https://www.instagram.com/smegroup.id/\)](https://www.instagram.com/smegroup.id/)

[Our Brands \(https://smegroup.id/our-brands/\)](https://smegroup.id/our-brands/)  
[Facebook \(https://www.facebook.com/smegroup.id\)](https://www.facebook.com/smegroup.id)  
[TikTok \(https://www.tiktok.com/@smegroup.id\)](https://www.tiktok.com/@smegroup.id)

[YouTube \(https://www.youtube.com/channel/UCn-hpK7lZX4plRbPtEckXsQ\)](https://www.youtube.com/channel/UCn-hpK7lZX4plRbPtEckXsQ)

<https://smegroup.id>

[Contact us \(https://smegroup.id/contact/\)](https://smegroup.id/contact/)

[Warranty \(https://smegroup.id/warranty/\)](https://smegroup.id/warranty/)

≡ Brands & Categories ▾



[Home \(https://smegroup.id/\)](https://smegroup.id/) > [Camera \(https://smegroup.id/product-category/camera/\)](https://smegroup.id/product-category/camera/) > [PoE \(https://smegroup.id/product-category/camera/poe/\)](https://smegroup.id/product-category/camera/poe/)



(https://smegroup.id/wp-content/uploads/2024/06/TC-P3S010.png)

## Tiandy TC-P3S010 Network PoE Switch H

### KEY FEATURES

- 8\*10/ 100Mbps PoE Ports, 2\*10/ 100/ 1000Mbps RJ45 Uplink Ports
- Comply with IEEE 802.3、IEEE 802.3u、IEEE802.3x standard
- Ethernet port supports 10/100Mbps adaptive
- Support POE Priority(QOS): 1>2>3>4>5>6>7>8(The port in front has higher priority)
- Flow control mode: full-duplex adopts IEEE 802.3x standard, half-duplex adopts back pressure standard ·Support Port Auto-flip(Auto MDI/MDIX)
- Adopting store-and-forward switching mechanism
- All ports support wire-speed switching
- Zero configuration feature, automatically supplied to adaptive equipment.
- Panel indicator monitoring status and help failure analysis

- With three gears and one key intelligent dip switch, support VLAN, Default, Extend three modes
- Surge Protection: General 4KV (level C) : ESD 8KV air, 6KV contact (level C)

BELI DISINI ([HTTPS://WWW.TOKOPEDIA.COM/BIOSTARSMETIANDY-TC-P3S010-NETWORK-POE-SWITCH-H?EXTPARAM=WHID%3D10690868%26SRC%3DSHOP&AFF\\_UNIQUE\\_ID=&CHANNEL=OTHERS&CHAIN\\_KEY=](https://www.tokopedia.com/biostarsme/tiandy-tc-p3s010-network-poe-switch-h?EXTPARAM=WHID%3D10690868%26SRC%3DSHOP&AFF_UNIQUE_ID=&CHANNEL=OTHERS&CHAIN_KEY=))

---

Categories: Camera ([Https://Smegroup.Id/Product-Category/Camera/](https://smegroup.id/Product-Category/Camera/)), PoE ([Https://Smegroup.Id/Product-Category/Camera/Poe/](https://smegroup.id/Product-Category/Camera/Poe/))

Tags: PoE (<https://smegroup.id/product-tag/poe/>), switch (<https://smegroup.id/product-tag/switch/>)



## DESCRIPTION

Specifications	
<b>Model</b>	Tiandy TC-P3S010 Spec: H/0820/AT/90
I/O Interface	
<b>Power</b>	AC INPUT (100-240V)
<b>Ethernet</b>	8*10/ 100Mbps PoE Ports, 2*10/ 100/ 1000Mbps RJ45 Uplink Ports
Performance	
<b>Bandwidth</b>	5.6 Gbps
<b>Throughput</b>	4.166Mpps
<b>Packet Buffer</b>	448Kbit
<b>MAC Address</b>	2K
<b>Transfer Mode</b>	Store and Forward
Standard	
<b>Network Protocol</b>	IEEE802.3 (10Base-T), IEEE802.3u (100Base-TX),  IEEE802.3ab (1000Base-TX),  IEEE802.3x (Flow control)
<b>PoE Protocol</b>	IEEE802.3af (15.4W), IEEE802.3at (30W),  POE port output voltage: DC 52V,  POE power supply core: 1/2+; 3/6
<b>Industrial Standard</b>	EMS: EN61000-4-2 (ESD), EN61000-4-5 (Surge)
<b>Network Medium</b>	10Base-T: Cat3, 4, 5 or above UTP/STP (≤100m), 100Base-TX: Cat5 or above UTP/STP (≤100m),  1000Base-TX: Cat5 or above UTP/STP (≤100m)
Function	
<b>LED Indicators</b>	PWR (Power Supply), SW (DIP), 1-10 Green (Link & Data), POE Max (Power)
<b>PWR</b>	On: Powered on, Off: Powered off
<b>POE LED Buttons</b>	Dual color light selection: default green (link data), switch yellow light (POE)
DIP Switch	
<b>VLAN</b>	VLAN: (Port Isolation Mode). In this mode, the PoE ports (1-8) of the switch cannot communicate with each other and can only communicate with the Uplink port (9-10). The port 11 mode (PoE Watchdog) is

	each other and can only communicate with the uplink port (9, 10). The port AI mode (PoE watchdog) is turned on.
<b>Default</b>	Default: (Normal Mode). All Ports can communicate with each other, the transmission rate is 10/100Mbps adaptive; The port AI mode is disabled
<b>Extend</b>	Extend: (Link Extension Mode). 1-8 ports force 10M, link 220M. The port AI mode (PoE Watchdog) is turned on.
<b>Environment</b>	
<b>Working Environment</b>	<p>Working Temperature: -10~50°C, Storage Temperature: -40~70°C,</p> <p>Working Humidity: 10%~90%, non-condensing, Storage Temperature: 5%~95%, non-condensing</p>
<b>Physical Specifications</b>	
<b>Dimension</b>	<p>Product Dimensions: 200*118*44mm, Package Dimensions: 245*190*60mm,</p> <p>Product N.W: 0.69KG, Product G.W: 0.98KG</p>
<b>Packing Info</b>	<p>Carton Dimensions: 520*320*400mm, Packing Quantity: 20PCS, Packing Weight: 20.6KG</p>
<b>Power Voltage</b>	<p>Input Voltage: AC 100-240V, Power supply: 52V / 1.92A</p>
<b>Power</b>	<p>Mainboard power: maximum 10W, POE power: maximum 90W</p>

Related Products



(<https://smegroup.id/product/ez-c8pf-dual-lens-pan-tilt-wi-fi-camera/>)

Camera

(<https://smegroup.id/product-category/camera/>), IP Camera  
(<https://smegroup.id/product-category/camera/ip-camera/>)



(<https://smegroup.id/product/d-link-network-video-recorder-with-hdmi-dnr-312l-2/>)

Camera

(<https://smegroup.id/product-category/camera/>), Mydlink Cloud IP Camera  
(<https://smegroup.id/product-category/camera/mydlink-cloud-ip-camera/>)



(<https://smegroup.id/product/ez-cs-cv310-c3wn-1080p-ip-camera-outdoor/>)

Camera

(<https://smegroup.id/product-category/camera/>), IP Camera  
(<https://smegroup.id/product-category/camera/ip-camera/>)



(<https://smegroup.id/product/ez-c6n-smart-wi-fi-pan-tilt-camera-3mp/>)

Camera

(<https://smegroup.id/product-category/camera/>), IP Camera  
(<https://smegroup.id/product-category/camera/ip-camera/>)



(<https://smegroup.id/product/mydlink-hd-180-dcs-camera/>)

Mydlink Cloud

(<https://smegroup.id/product-category/camera/>)  
cloud-ip-camera:  
(<https://smegroup.id/product-category/camera/>)

<p>EZVIZ C8PF Dual-Lens Pan &amp; Tilt Wi-Fi Camera- 2MP (<a href="https://Smegroup.Id/Prod/C8pf-Dual-Lens-Pan-Tilt-Wi-Fi-Camera/">https://Smegroup.Id/Prod/C8pf-Dual-Lens-Pan-Tilt-Wi-Fi-Camera/</a>) Ezviz (<a href="https://smegroup.id/products/brand/ezviz/">https://smegroup.id/products/brand/ezviz/</a>)</p>	<p>D-LINK Network Video Recorder With HDMI DNR-312L (<a href="https://Smegroup.Id/Prod/Link-Network-Video-Recorder-With-Hdmi-Dnr-312l-2/">https://Smegroup.Id/Prod/Link-Network-Video-Recorder-With-Hdmi-Dnr-312l-2/</a>) D-Link (<a href="https://smegroup.id/products/brand/d-link/">https://smegroup.id/products/brand/d-link/</a>)</p>	<p>Ezviz CS-CV310 (C3WN) 1080P IP Camera Outdoor (<a href="https://Smegroup.Id/Prod/Cs-Cv310-C3wn-1080p-Ip-Camera-Outdoor/">https://Smegroup.Id/Prod/Cs-Cv310-C3wn-1080p-Ip-Camera-Outdoor/</a>) Ezviz (<a href="https://smegroup.id/products/brand/ezviz/">https://smegroup.id/products/brand/ezviz/</a>)</p>	<p>EZVIZ C6N Smart Wi-Fi Pan &amp; Tilt Camera – 3MP (<a href="https://Smegroup.Id/Prod/C6n-Smart-Wi-Fi-Pan-Tilt-Camera-3mp/">https://Smegroup.Id/Prod/C6n-Smart-Wi-Fi-Pan-Tilt-Camera-3mp/</a>) Ezviz (<a href="https://smegroup.id/products/brand/ezviz/">https://smegroup.id/products/brand/ezviz/</a>)</p>	<p>D-LINK HD 18 Wi-Fi Came 8100L (<a href="https://Smegr/Link-Hd-180-C-Fi-Camera-Dc">https://Smegr/Link-Hd-180-C-Fi-Camera-Dc</a>) D-Lin (<a href="https://smegroup/link/">https://smegroup/link/</a>)</p>
--	--	--	--	--



**SOCIAL MEDIA**

 (<https://www.facebook.com/smegroup.id/>)
  (<https://www.instagram.com/smegroup.idn/>)
  (<https://www.tiktok.com/@smegroup.id>)
  (<https://www.youtube.com/smegroup>)

**OUR E-COMMERCE**



## CONTACT US

### PT Tritunggal Jaya Komputindo

Address Office:

Komplek Perkantoran Mangga Dua Square Blok C No.22,23,24, Jl. Mangga Dua Square, RW.6, Ancol, Pademangan, North Jakarta City, Jakarta 14420

Phone :

(021) 508 34567

Email :

sales@smegroup.co.id

Office Hour :

Monday - Friday | 9:00 AM to 6:00 PM

## HELP

About Us (<https://smegroup.id/about-us/>)

Our Brands (<https://smegroup.id/our-brands/>)

Contact Us (<https://smegroup.id/contact/>)

Blog (<https://smegroup.id/blog/>)

Warranty (<https://smegroup.id/warranty/>)

© 2024 SME Group